

■ 標準塊規【整組】

材質：硬鋼 硬度：HV650~800



型號	規格(mm)	間隔(mm)	塊數
GB-9122-0 等級：0級	1.0005	0.0005	1
	1.001-1.009	0.001	9
	1.01-1.49	0.01	49
GB-9122-1 等級：1級	1.6-1.9	0.1	4
	0.5-24.5	0.5	49
GB-9122-2 等級：2級	30-100	10	8
	25,75	-	2
GB-9112-0 等級：0級	1.0005	0.0005	1
	1.001-1.009	0.001	9
	1.01-1.49	0.01	49
GB-9112-1 等級：1級	1.6-1.9	0.1	4
GB-9112-2 等級：2級	0.5-24.5	0.5	49
	25-100	25	4
GB-9103-0 等級：0級	1.005	0.005	1
	1.01-1.49	0.01	49
	0.5-24.5	0.5	49
GB-9103-2 等級：2級	25-100	25	4
GB-9087-0 等級：0級	1.001-1.009	0.001	9
	1.01-1.49	0.01	49
	0.5-9.5	0.5	19
GB-9087-2 等級：2級	10-100	10	10

型號	規格(mm)	間隔(mm)	塊數
GB-9047-0 等級：0級	1.005	0.005	1
	1.01-1.09	0.01	9
	1.1-1.9	0.1	9
GB-9047-1 等級：1級	1-24	1	24
	25-100	25	4
GB-9038-0 等級：0級	1.005	0.005	1
	1.01-1.09	0.01	9
	1.1-1.9	0.1	9
GB-9038-1 等級：1級	1-9	1	9
	10-100	10	10
GB-9020-0 等級：0級	5-100	5	20
GB-9010-0 等級：0級	1.0-1.5	0.25	3
	2.0-3.0	1	2
	5.0-25.0	5	5
GB-9009-0 等級：0級	1.001-1.009	0.001	9

* 精度：依據DIN 861 / ISO 3650標準

* 整組均附JCC出廠檢驗合格校正報告

■ 標準塊規【外徑測微器專用】

用途：專為外徑測微器量測鉗面平行度和尺寸精度校正用

材質：硬鋼

型號	規格(mm)	間隔(mm)	塊數
GB-9012-0 等級：0級	2.5, 5.1, 7.7, 10.3, 12.9	2.6	5
GB-9012-1 等級：1級	15, 17.6, 20.2, 22.8	2.6	4
	25, 50, 75	25	3

GB-9012-0



材質：陶瓷

型號	規格(mm)	間隔(mm)	塊數
GB-C9012-0 等級：0級	2.5, 5.1, 7.7, 10.3, 12.9	2.6	5
GB-C9012-1 等級：1級	15, 17.6, 20.2, 22.8	2.6	4
	25, 50, 75	25	3

* 精度：依據DIN 861 / ISO 3650標準 * 整組均附JCC出廠檢驗合格校正報告

■ 標準塊規【長塊規】

用途：專為中大型之量具、儀器、量測設備、專用機、工作母機進行精度校驗用

GB-9008M



型號	規格(mm)	間隔(mm)	塊數
GB-908S-0 等級：0級	25, 50	25	8
GB-908S-1 等級：1級	75, 100		
GB-908S-2 等級：2級	125, 150		
GB-908M-0 等級：0級	175, 200	25	8
	250, 300		
	400, 500		

型號	規格(mm)	間隔(mm)	塊數
GB-905L-0 等級：0級	600, 700	100	5
GB-905L-1 等級：1級	800, 900		
GB-905L-2 等級：2級	1000		

* 精度：依據DIN 861 / ISO 3650標準
 * 整組均附JCC出廠檢驗合格校正報告
 * 材質：硬鋼 硬度：HV650~800
 * 亦可提供英吋規格之長塊規

■ 標準塊規【單片】

材質：硬鋼 硬度：HV650~800

型號	規格(mm)	等級
GB-0.3-1	0.3	1
GB-0.4-1	0.4	1
GB-0.5-0	0.5	0
GB-0.5-1		1
GB-0.6-0	0.6	0
GB-0.6-1		1
GB-0.7-0	0.7	0
GB-0.7-1		1
GB-0.8-0	0.8	0
GB-0.8-1		1
GB-0.9-0	0.9	0
GB-0.9-1		1
GB-1.0-0	1.0	0
GB-1.0-1		1
GB-1.0005-0	1.0005	0
GB-1.0005-1		1
GB-1.001-0	1.001	0
GB-1.001-1		1
GB-1.002-0	1.002	0
GB-1.002-1		1
GB-1.003-0	1.003	0
GB-1.003-1		1
GB-1.004-0	1.004	0
GB-1.004-1		1
GB-1.005-0	1.005	0
GB-1.005-1		1
GB-1.006-0	1.006	0
GB-1.006-1		1
GB-1.007-0	1.007	0
GB-1.007-1		1

型號	規格(mm)	等級
GB-1.008-0	1.008	0
GB-1.008-1		1
GB-1.009-0	1.009	0
GB-1.009-1		1
GB-1.01-0	1.01	0
GB-1.01-1		1
GB-1.02-0	1.02	0
GB-1.02-1		1
GB-1.03-0	1.03	0
GB-1.03-1		1
GB-1.04-0	1.04	0
GB-1.04-1		1
GB-1.05-0	1.05	0
GB-1.05-1		1
GB-1.06-0	1.06	0
GB-1.06-1		1
GB-1.07-0	1.07	0
GB-1.07-1		1
GB-1.08-0	1.08	0
GB-1.08-1		1
GB-1.09-0	1.09	0
GB-1.09-1		1
GB-1.1-0	1.1	0
GB-1.1-1		1
GB-1.11-0	1.11	0
GB-1.11-1		1
GB-1.12-0	1.12	0
GB-1.12-1		1
GB-1.13-0	1.13	0
GB-1.13-1		1
GB-1.14-0	1.14	0
GB-1.14-1		1
GB-1.15-0	1.15	0
GB-1.15-1		1

型號	規格(mm)	等級
GB-1.16-0	1.16	0
GB-1.16-1		1
GB-1.17-0	1.17	0
GB-1.17-1		1
GB-1.18-0	1.18	0
GB-1.18-1		1
GB-1.19-0	1.19	0
GB-1.19-1		1
GB-1.2-0	1.2	0
GB-1.2-1		1
GB-1.21-0	1.21	0
GB-1.21-1		1
GB-1.22-0	1.22	0
GB-1.22-1		1
GB-1.23-0	1.23	0
GB-1.23-1		1
GB-1.24-0	1.24	0
GB-1.24-1		1
GB-1.25-0	1.25	0
GB-1.25-1		1
GB-1.26-0	1.26	0
GB-1.26-1		1
GB-1.27-0	1.27	0
GB-1.27-1		1
GB-1.28-0	1.28	0
GB-1.28-1		1
GB-1.29-0	1.29	0
GB-1.29-1		1
GB-1.3-0	1.3	0
GB-1.3-1		1
GB-1.31-0	1.31	0
GB-1.31-1		1
GB-1.32-0	1.32	0
GB-1.32-1		1

*精度：依據DIN 861/ ISO 3650標準

*單片均附JCC出廠檢驗合格校正報告

*特殊規格可訂製，單一規格最小訂購量6片

■ 標準塊規【單片】

材質：硬鋼 硬度：HV650~800

型號	規格(mm)	等級
GB-1.33-0	1.33	0
GB-1.33-1		1
GB-1.34-0	1.34	0
GB-1.34-1		1
GB-1.35-0	1.35	0
GB-1.35-1		1
GB-1.36-0	1.36	0
GB-1.36-1		1
GB-1.37-0	1.37	0
GB-1.37-1		1
GB-1.38-0	1.38	0
GB-1.38-1		1
GB-1.39-0	1.39	0
GB-1.39-1		1
GB-1.4-0	1.4	0
GB-1.4-1		1
GB-1.41-0	1.41	0
GB-1.41-1		1
GB-1.42-0	1.42	0
GB-1.42-1		1
GB-1.43-0	1.43	0
GB-1.43-1		1
GB-1.44-0	1.44	0
GB-1.44-1		1
GB-1.45-0	1.45	0
GB-1.45-1		1
GB-1.46-0	1.46	0
GB-1.46-1		1
GB-1.47-0	1.47	0
GB-1.47-1		1
GB-1.48-0	1.48	0
GB-1.48-1		1
GB-1.49-0	1.49	0
GB-1.49-1		1

型號	規格(mm)	等級
GB-1.5-0	1.5	0
GB-1.5-1		1
GB-1.6-0	1.6	0
GB-1.6-1		1
GB-1.7-0	1.7	0
GB-1.7-1		1
GB-1.8-0	1.8	0
GB-1.8-1		1
GB-1.9-0	1.9	0
GB-1.9-1		1
GB-2.0-0	2.0	0
GB-2.0-1		1
GB-2.5-0	2.5	0
GB-2.5-1		1
GB-3.0-0	3.0	0
GB-3.0-1		1
GB-3.5-0	3.5	0
GB-3.5-1		1
GB-4.0-0	4.0	0
GB-4.0-1		1
GB-4.5-0	4.5	0
GB-4.5-1		1
GB-5.0-0	5.0	0
GB-5.0-1		1
GB-5.5-0	5.5	0
GB-5.5-1		1
GB-6.0-0	6.0	0
GB-6.0-1		1
GB-6.5-0	6.5	0
GB-6.5-1		1
GB-7.0-0	7.0	0
GB-7.0-1		1
GB-7.5-0	7.5	0
GB-7.5-1		1

型號	規格(mm)	等級
GB-8.0-0	8.0	0
GB-8.0-1		1
GB-8.5-0	8.5	0
GB-8.5-1		1
GB-9.0-0	9.0	0
GB-9.0-1		1
GB-9.5-0	9.5	0
GB-9.5-1		1
GB-10.0-0	10.0	0
GB-10.0-1		1
GB-10.5-0	10.5	0
GB-10.5-1		1
GB-11.0-0	11.0	0
GB-11.0-1		1
GB-11.5-0	11.5	0
GB-11.5-1		1
GB-12.0-0	12.0	0
GB-12.0-1		1
GB-12.5-0	12.5	0
GB-12.5-1		1
GB-13.0-0	13.0	0
GB-13.0-1		1
GB-13.5-0	13.5	0
GB-13.5-1		1
GB-14.0-0	14.0	0
GB-14.0-1		1
GB-14.5-0	14.5	0
GB-14.5-1		1
GB-15.0-0	15.0	0
GB-15.0-1		1

*精度：依據DIN 861/ ISO 3650標準
 *單片均附JCC出廠檢驗合格校正報告
 *特殊規格可訂製，單一規格最小訂購量6片

■ 標準塊規【單片】

材質：硬鋼 硬度：HV650~800

型號	規格(mm)	等級
GB-15.5-0	15.5	0
GB-15.5-1		1
GB-16.0-0	16.0	0
GB-16.0-1		1
GB-16.5-0	16.5	0
GB-16.5-1		1
GB-17.0-0	17.0	0
GB-17.0-1		1
GB-17.5-0	17.5	0
GB-17.5-1		1
GB-18.0-0	18.0	0
GB-18.0-1		1
GB-18.5-0	18.5	0
GB-18.5-1		1
GB-19.0-0	19.0	0
GB-19.0-1		1
GB-19.5-0	19.5	0
GB-19.5-1		1
GB-20.0-0	20.0	0
GB-20.0-1		1
GB-20.5-0	20.5	0
GB-20.5-1		1
GB-21.0-0	21.0	0
GB-21.0-1		1
GB-21.5-0	21.5	0
GB-21.5-1		1
GB-22.0-0	22.0	0
GB-22.0-1		1
GB-22.5-0	22.5	0
GB-22.5-1		1
GB-23.0-0	23.0	0
GB-23.0-1		1
GB-23.5-0	23.5	0
GB-23.5-1		1

型號	規格(mm)	等級
GB-24.0-0	24.0	0
GB-24.0-1		1
GB-24.5-0	24.5	0
GB-24.5-1		1
GB-25.0-0	25	0
GB-25.0-1		1
GB-30.0-0	30	0
GB-30.0-1		1
GB-35.0-0	35	0
GB-35.0-1		1
GB-40.0-0	40	0
GB-40.0-1		1
GB-45.0-0	45	0
GB-45.0-1		1
GB-50.0-0	50	0
GB-50.0-1		1
GB-55.0-0	55	0
GB-55.0-1		1
GB-60.0-0	60	0
GB-60.0-1		1
GB-65.0-0	65	0
GB-65.0-1		1
GB-70.0-0	70	0
GB-70.0-1		1
GB-75.0-0	75	0
GB-75.0-1		1
GB-80.0-0	80	0
GB-80.0-1		1
GB-85.0-0	85	0
GB-85.0-1		1
GB-90.0-0	90	0
GB-90.0-1		1
GB-95.0-0	95	0
GB-95.0-1		1

型號	規格(mm)	等級
GB-100.0-0	100	0
GB-100.0-1		1
GB-125.0-0	125	0
GB-125.0-1		1
GB-150.0-0	150	0
GB-150.0-1		1
GB-175.0-0	175	0
GB-175.0-1		1
GB-200.0-0	200	0
GB-200.0-1		1
GB-250.0-0	250	0
GB-250.0-1		1
GB-300.0-0	300	0
GB-300.0-1		1
GB-400.0-0	400	0
GB-400.0-1		1
GB-500.0-0	500	0
GB-500.0-1		1
GB-600.0-0	600	0
GB-600.0-1		1
GB-700.0-0	700	0
GB-700.0-1		1
GB-800.0-0	800	0
GB-800.0-1		1
GB-900.0-0	900	0
GB-900.0-1		1
GB-1000.0-0	1000	0
GB-1000.0-1		1

精度：依據DIN 861/ISO 3650標準
單片均附JCC出廠檢驗合格校正報告