

■ 標準塊規【整組】

材質：陶瓷 硬度：HV1100~1400



型號	規格(mm)	間隔(mm)	塊數
GB-C9122-0 等級：0級	1.0005	0.0005	1
	1.001-1.009	0.001	9
	1.01-1.49	0.01	49
GB-C9122-1 等級：1級	1.6-1.9	0.1	4
	0.5-24.5	0.5	49
	30-100	10	8
GB-C9112-0 等級：0級	1.0005	0.0005	1
	1.001-1.009	0.001	9
	1.01-1.49	0.01	49
GB-C9112-1 等級：1級	0.5-24.5	0.5	49
	25-100	25	4
GB-C9103-0 等級：0級	1.005	0.005	1
	1.01-1.49	0.01	49
GB-C9103-1 等級：1級	0.5-24.5	0.5	49
GB-C9087-0 等級：0級	1.001-1.009	0.001	9
	1.01-1.49	0.01	49
	0.5-9.5	0.5	19
GB-C9087-1 等級：1級	10-100	10	10

型號	規格(mm)	間隔(mm)	塊數
GB-C9047-0 等級：0級	1.005	0.005	1
	1.01-1.09	0.01	9
	1.1-1.9	0.1	9
GB-C9047-1 等級：1級	1-24	1	24
	25-100	25	4
GB-C9038-0 等級：0級	1.005	0.005	1
	1.01-1.09	0.01	9
GB-C9038-1 等級：1級	1.1-1.9	0.1	9
	1-9	1	9
	10-100	10	10
GB-C9011-0 等級：0級	1.0	-	1
	1.0005	-	1
GB-C9011-1 等級：1級	1.001-1.009	0.001	9
GB-C9010-0 等級：0級	1.0-1.5	0.25	3
	2.0-3.0	1	2
GB-C9010-1 等級：1級	5.0-25.0	5	5

* 精度：依據DIN 861 / ISO 3650標準

* 整組均附JCC出廠檢驗合格校正報告

■ 標準塊規【單片】

材質：陶瓷 硬度：HV1100~1400

型號	規格(mm)	等級
GB-C0.5-0	0.5	0
GB-C0.5-1		1
GB-C1.0-0	1.0	0
GB-C1.0-1		1
GB-C1.0005-0	1.0005	0
GB-C1.0005-1		1
GB-C1.001-0	1.001	0
GB-C1.001-1		1
GB-C1.002-0	1.002	0
GB-C1.002-1		1
GB-C1.003-0	1.003	0
GB-C1.003-1		1
GB-C1.004-0	1.004	0
GB-C1.004-1		1
GB-C1.005-0	1.005	0
GB-C1.005-1		1
GB-C1.006-0	1.006	0
GB-C1.006-1		1
GB-C1.007-0	1.007	0
GB-C1.007-1		1
GB-C1.008-0	1.008	0
GB-C1.008-1		1
GB-C1.009-0	1.009	0
GB-C1.009-1		1
GB-C1.01-0	1.01	0
GB-C1.01-1		1
GB-C1.02-0	1.02	0
GB-C1.02-1		1
GB-C1.03-0	1.03	0
GB-C1.03-1		1
GB-C1.04-0	1.04	0
GB-C1.04-1		1
GB-C1.05-0	1.05	0
GB-C1.05-1		1

型號	規格(mm)	等級
GB-C1.06-0	1.06	0
GB-C1.06-1		1
GB-C1.07-0	1.07	0
GB-C1.07-1		1
GB-C1.08-0	1.08	0
GB-C1.08-1		1
GB-C1.09-0	1.09	0
GB-C1.09-1		1
GB-C1.1-0	1.1	0
GB-C1.1-1		1
GB-C1.11-0	1.11	0
GB-C1.11-1		1
GB-C1.12-0	1.12	0
GB-C1.12-1		1
GB-C1.13-0	1.13	0
GB-C1.13-1		1
GB-C1.14-0	1.14	0
GB-C1.14-1		1
GB-C1.15-0	1.15	0
GB-C1.15-1		1
GB-C1.16-0	1.16	0
GB-C1.16-1		1
GB-C1.17-0	1.17	0
GB-C1.17-1		1
GB-C1.18-0	1.18	0
GB-C1.18-1		1
GB-C1.19-0	1.19	0
GB-C1.19-1		1
GB-C1.2-0	1.2	0
GB-C1.2-1		1
GB-C1.21-0	1.21	0
GB-C1.21-1		1
GB-C1.22-0	1.22	0
GB-C1.22-1		1

型號	規格(mm)	等級
GB-C1.23-0	1.23	0
GB-C1.23-1		1
GB-C1.24-0	1.24	0
GB-C1.24-1		1
GB-C1.25-0	1.25	0
GB-C1.25-1		1
GB-C1.26-0	1.26	0
GB-C1.26-1		1
GB-C1.27-0	1.27	0
GB-C1.27-1		1
GB-C1.28-0	1.28	0
GB-C1.28-1		1
GB-C1.29-0	1.29	0
GB-C1.29-1		1
GB-C1.30-0	1.30	0
GB-C1.30-1		1
GB-C1.31-0	1.31	0
GB-C1.31-1		1
GB-C1.32-0	1.32	0
GB-C1.32-1		1
GB-C1.33-0	1.33	0
GB-C1.33-1		1
GB-C1.34-0	1.34	0
GB-C1.34-1		1
GB-C1.35-0	1.35	0
GB-C1.35-1		1
GB-C1.36-0	1.36	0
GB-C1.36-1		1
GB-C1.37-0	1.37	0
GB-C1.37-1		1
GB-C1.38-0	1.38	0
GB-C1.38-1		1
GB-C1.39-0	1.39	0
GB-C1.39-1		1

■ 標準塊規【單片】

材質：陶瓷 硬度：HV1100~1400

型號	規格(mm)	等級
GB-C1.4-0	1.4	0
GB-C1.4-1		1
GB-C1.41-0	1.41	0
GB-C1.41-1		1
GB-C1.42-0	1.42	0
GB-C1.42-1		1
GB-C1.43-0	1.43	0
GB-C1.43-1		1
GB-C1.44-0	1.44	0
GB-C1.44-1		1
GB-C1.45-0	1.45	0
GB-C1.45-1		1
GB-C1.46-0	1.46	0
GB-C1.46-1		1
GB-C1.47-0	1.47	0
GB-C1.47-1		1
GB-C1.48-0	1.48	0
GB-C1.48-1		1
GB-C1.49-0	1.49	0
GB-C1.49-1		1
GB-C1.5-0	1.5	0
GB-C1.5-1		1
GB-C1.6-0	1.6	0
GB-C1.6-1		1
GB-C1.7-0	1.7	0
GB-C1.7-1		1
GB-C1.8-0	1.8	0
GB-C1.8-1		1
GB-C1.9-0	1.9	0
GB-C1.9-1		1
GB-C2.0-0	2.0	0
GB-C2.0-1		1
GB-C2.5-0	2.5	0
GB-C2.5-1		1

型號	規格(mm)	等級
GB-C3.0-0	3.0	0
GB-C3.0-1		1
GB-C3.5-0	3.5	0
GB-C3.5-1		1
GB-C4.0-0	4.0	0
GB-C4.0-1		1
GB-C4.5-0	4.5	0
GB-C4.5-1		1
GB-C5.0-0	5.0	0
GB-C5.0-1		1
GB-C5.5-0	5.5	0
GB-C5.5-1		1
GB-C6.0-0	6.0	0
GB-C6.0-1		1
GB-C6.5-0	6.5	0
GB-C6.5-1		1
GB-C7.0-0	7.0	0
GB-C7.0-1		1
GB-C7.5-0	7.5	0
GB-C7.5-1		1
GB-C8.0-0	8.0	0
GB-C8.0-1		1
GB-C8.5-0	8.5	0
GB-C8.5-1		1
GB-C9.0-0	9.0	0
GB-C9.0-1		1
GB-C9.5-0	9.5	0
GB-C9.5-1		1
GB-C10.0-0	10.0	0
GB-C10.0-1		1
GB-C10.5-0	10.5	0
GB-C10.5-1		1
GB-C11.0-0	11.0	0
GB-C11.0-1		1

型號	規格(mm)	等級
GB-C11.5-0	11.5	0
GB-C11.5-1		1
GB-C12.0-0	12.0	0
GB-C12.0-1		1
GB-C12.5-0	12.5	0
GB-C12.5-1		1
GB-C13.0-0	13.0	0
GB-C13.0-1		1
GB-C13.5-0	13.5	0
GB-C13.5-1		1
GB-C14.0-0	14.0	0
GB-C14.0-1		1
GB-C14.5-0	14.5	0
GB-C14.5-1		1
GB-C15.0-0	15.0	0
GB-C15.0-1		1
GB-C15.5-0	15.5	0
GB-C15.5-1		1
GB-C16.0-0	16.0	0
GB-C16.0-1		1
GB-C16.5-0	16.5	0
GB-C16.5-1		1
GB-C17.0-0	17.0	0
GB-C17.0-1		1
GB-C17.5-0	17.5	0
GB-C17.5-1		1
GB-C18.0-0	18.0	0
GB-C18.0-1		1
GB-C18.5-0	18.5	0
GB-C18.5-1		1
GB-C19.0-0	19.0	0
GB-C19.0-1		1
GB-C19.5-0	19.5	0
GB-C19.5-1		1

■ 標準塊規【單片】

材質：陶瓷 硬度：HV1100~1400

型號	規格(mm)	等級
GB-C20.0-0	20	0
GB-C20.0-1		1
GB-C20.5-0	20.5	0
GB-C20.5-1		1
GB-C21.0-0	21	0
GB-C21.0-1		1
GB-C21.5-0	21.5	0
GB-C21.5-1		1
GB-C22.0-0	22	0
GB-C22.0-1		1
GB-C22.5-0	22.5	0
GB-C22.5-1		1
GB-C23.0-0	23	0
GB-C23.0-1		1
GB-C23.5-0	23.5	0
GB-C23.5-1		1
GB-C24.0-0	24	0
GB-C24.0-1		1
GB-C24.5-0	24.5	0
GB-C24.5-1		1
GB-C25.0-0	25	0
GB-C25.0-1		1
GB-C30.0-0	30	0
GB-C30.0-1		1

型號	規格(mm)	等級
GB-C40.0-0	40	0
GB-C40.0-1		1
GB-C41.3-0	41.3	0
GB-C41.3-1		1
GB-C50.0-0	50	0
GB-C50.0-1		1
GB-C60.0-0	60	0
GB-C60.0-1		1
GB-C70.0-0	70	0
GB-C70.0-1		1
GB-C75.0-0	75	0
GB-C75.0-1		1
GB-C80.0-0	80	0
GB-C80.0-1		1
GB-C90.0-0	90	0
GB-C90.0-1		1
GB-C100.0-0	100	0
GB-C100.0-1		1
GB-C125.0-0	125	0
GB-C125.0-1		1
GB-C131.4-0	131.4	0
GB-C131.4-1		1
GB-C150.0-0	150	0
GB-C150.0-1		1

* 精度：依據DIN 861 / ISO 3650標準 * 單片均附JCC出廠檢驗合格校正報告